

OS125GD03P



Products → Low Voltage Products and Systems → Switches → Switch Fuses

General Information

Extended Product Type:	OS125GD03P
Product ID:	1SCA115639R1001
EAN:	6417019479774
Catalog Description:	OS125GD03P Switch fuse
Long Description:	Switch Fuses,Front Operated,3-pole,03 (Left Side),DIN,000,00,Handle and shaft included,

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365080

Popular Downloads

Data Sheet, Technical Information:	1SCC311137D0201
Instructions and Manuals:	1SCC110037M0206

Dimensions

Product Net Width:	147 mm
Product Net Height:	140 mm
Product Net Depth / Length:	130 mm
Product Net Weight:	2.035 kg 4.49 lb

Technical

Rated Operational Current AC-21A (I _e):	(380 ... 415 V) 125 A (500 V) 125 A (690 V) 125 A
Rated Operational Current AC-22A (I _e):	(380 ... 415 V) 125 A (500 V) 125 A (690 V) 125 A
Rated Operational Current AC-23A (I _e):	(380 ... 415 V) 125 A (500 V) 125 A (690 V) 125 A
Rated Operational Power AC-23A (P _e):	(220 ... 240 V) 37 kW (400 V) 55 kW (415 V) 55 kW (500 V) 75 kW (690 V) 110 kW

Conventional Free-air Thermal Current (I_{th}):	q = 40 °C 125 A
Conventional Thermal Current (I_{the}):	Fully Enclosed 125 A
Rated Impulse Withstand Voltage (U_{imp}):	8 kV
Rated Insulation Voltage (U_i):	1000 V
Rated Operational Voltage:	690 V AC
Rated Short-time Withstand Current (I_{cw}):	for 1 s 5 kiloampere rms
Power Loss:	at Rated Operating Conditions per Pole 5 W
Pollution Degree:	3
Handle Type:	Handle and shaft included
Switches Operating Mechanism:	03 (Left Side)
Position of Line Terminals:	Top In - Bottom Out Bottom In - Top Out
Fuse Size:	000,00
Fuse System:	DIN
Operating Mode:	Front Operated
Standards:	IEC 60947-3
Mounting Type:	Base mounting
Number of Poles:	3
Terminal Type:	Lug terminals
Terminal Width:	20 mm
Tightening Torque:	15 ... 22 N·m

Certificates and Declarations (Document Number)

CCC Certificate:	CCC OS100-160G_ 2015.pdf
Declaration of Conformity - CE:	1SCC311137D2703
DNV GL Certificate:	1SCC311125D0203
EAC Certificate:	EAC OT_OTDC_OTL_OTP_OTR_OTU_OTE_OETL_OESA_OESC_OTM_OS_OSM_.pdf
Instructions and Manuals:	1SCC110037M0206
RoHS Information:	1SCC311108D0203

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	192 mm 7.56 in

Package Level 1 Depth / Length:	192 mm 7.56 in
Package Level 1 Height:	146 mm 5.75 in
Package Level 1 Gross Weight:	2.135 kg 4.71 lb
Package Level 1 EAN:	6417019479774

Classifications

E-nummer:	3172118
Object Classification Code:	Q
ETIM 5:	EC001040 - Fuse switch disconnecter
ETIM 6:	EC001040 - Fuse switch disconnecter
ETIM 7:	EC001040 - Fuse switch disconnecter

