



PRODUCT-DETAILS

3GAA061002-BSC

MOTOR,M2AA63B11 F115-2,.25

For sale but "Obsolete", replaced by

General Information

Product ID	3GAA061002-BSC
ABB Type Designation	M2AA 63B 2
Catalog Description	MOTOR,M2AA63B11 F115-2,.25
Long Description	MOTOR,M2AA63B11 F115-2,.25

Additional Information

ABB Type Designation	M2AA 63B 2
Altitude	1000 m
Ambient Temperature	40 °C
Bearing	6202-2Z/C3
Bearing NDE	6201-2Z/C3
Core Credit	0.00
Country of Origin	Romania (RO)
Customs Tariff Number	85015100
Direction of Rotation	Both sides

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency
D	--	50 Hz	230 V	0.25 kW	2810 r/min	1.15 A	0.690	78.60 %
Y	--	50 Hz	400 V	0.25 kW	2810 r/min	0.66 A	0.690	78.60 %
Y	--	60 Hz	460 V	0.30 kW	3370 r/min	0.64 A	0.730	79.50 %

Frame Material	Aluminum
Frame Size	63
Gross Weight	4.4 kg
IC Class	IC411
IM Class	IMB5 IM3001
Insulation Class	ICLF
Invoice Description	MOTOR,M2AA63B11 F115-2,.25
IP Class	IP55
Lubrication	For life
Made To Order	No
Medium Description	MOTOR,M2AA63B11 F115-2,.25
Minimum Order Quantity	1 piece
Moment of Inertia	0.00016 kg/m ³
Number of Poles (High)	2
Order Multiple	1 piece

Package Level 1 Units	0 carton
Part Type	New
Product Name	3-Phase squirrel cage motor
Product Net Weight	4.4 kg
Product Type	2AA2__M2AA__IE2_AA
Quote Only	No
Replacement Product ID (NEW)	3GAA061312-BSF 3GAA061002-BSE
Selling Unit of Measure	piece
Short Description	MOTOR,M2AA63B11 F115-2,,25
Standards	IEC 60034-1
Starting of Motor	Direct Online
Stocked At (Warehouses)	Vittuone, Italy
Temperature Class Default	--
Terminator Box Location	D-End top
Two Speed Motor	No
Type of Duty	S1
UNSPSC	26101100
Voltage Code	S
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)