





**Electrical performance:**  
CEI EN 50393  
as applicable

**Gel:** UL 94-HB 

**Halogen free:**  
according to CEI EN 50267 2-2

**Self-extinguishing and  
resistant to abnormal  
heat and fire:**

Glow wire test a +960°C  
according to EN 60695-2-11

Operating  
temperature 

Gel operating temperature:  
-60°C / +200°C 

**IP69K**  
OFFICIALLY  
TESTED

**IP68**  
OFFICIALLY  
TESTED


**IMQ**

# Fox Box IP68


3 or 5 entrance jointing enclosure with gel filled perimeter chamber providing lighter weight with maximum capacity.

Kit includes accessories to maximise versatility allowing the use of cables from 6 to 18 mm in diameter or with 16, 20 and 32 mm diameter cable conduits. The internal, gel-free compartment allows for dry connections or any future alterations or disconnections. The gel, contained in the perimeter chamber also surrounds, insulates and seals any armour continuity connections or cable shields.

- Functional, elegant design
- Ideal for exposed and safety systems and for video camera installation
- Ready for use
- Click and hook closure, does not require screws
- Ready and installable in all environmental conditions
- Also suitable for wet or flooded environments
- No shelf life
- Always re-enterable
- Wall or external ceiling fixing system
- Halogen free & UV resistant




# FOX BOX



**Revolutionary!**

Safe, fast, elegant, lightweight and versatile!

**IP68**  
OFFICIALLY  
TESTED








# JOINTS

## LV

### GEL CONNECTION

Box IP68/IP69K



### FOX BOX

Box with 5 entrances for cables and conduits

Screwless click hook closure

Cable sheath, armour and shield storage compartment

Gel-free connection storage compartment

Chamber pre-filled with insulating and sealing gel



Can be mounted on walls or ceilings




Adapters



Ray Tech



Product	Colour	N° of entrances	Ø entrances with cable glands		Ø tubes (mm)	A x B x C (mm)
			min (mm)	max (mm)		
FOX BOX	●					
FOX BOX - N	●	5	6	18	16/20/32	210 x 155 x 45
FOX BOX - ARM	●					





**FOX BOX 3**

Box with 3 entrances for cables and conduits



Product	Colour	N° of entrances	Ø entrances with cable glands min (mm)   max (mm)	Ø tubes (mm)	A x B x C (mm)
FOX BOX 3	●				
FOX BOX 3 - N	●	3	6   18	16 / 20 / 32	180 x 135 x 45
FOX BOX 3 - ARM	●				

