

# TRANEMO

ADVANCED WORKWEAR



CE



EN ISO 11612  
A1 B1 C1 F1



EN 61482-2  
APC 2  
ELIM: 25,0 cal/cm<sup>2</sup> ATPV: 25,0 cal/cm<sup>2</sup>



EN 1149-5



\*EN ISO 11611  
CL.1 A1



\*EN 13034  
type PB(6)



EN ISO 20471  
CL.3



EN 343  
3.1



\*\*EN 342

## 511194 FLAME RETARDANT WINTER BOILERSUIT

**Non-Metal and Inherent Flame Retardant winter boilersuit with taped seams and quilted lining. Wind and waterproof according to EN 343. The boilersuit is ergonomically shaped for work with raised arms.**

Concealed 2-way front zip with stormflap. Detachable and adjustable hood. Fleece in collar. Two loops for communication equipment. Chest pockets with zip. Keyring holder. Sleeves with HTFR-Dobby reinforcement at the bottom, adjustable sleeve width and inside knitted cuffs. Two-way zip in legs. Side pockets with flap. Leg pocket with flap. HTFR-Dobby reinforced knees with inside kneepad pockets. Snow barrier in legs and adjustable ankle width with HTFR-Dobby reinforced back hem. Heat sealed reflective stripes for greater comfort. Fibrefur lining 9128 can be attached. \*Hood must be used or removed during welding or work with chemicals. \*\*The garment is tested in a 3 layer system together with standard underwear. Tranemo recommends underwear 5920/5940 and 5980.



**Color:** 94 yellow/navy

**Size:** XS-4XL

**Quality:** 054: Lining, quilted FR, 160+80 g/m<sup>2</sup>

804: Reinforcing fabric, HTFR Dobby, 295 g/m<sup>2</sup>

893: Lining, Cantex Fleece, 330 g/m<sup>2</sup>

943: Mega TX 230IR, 230 g/m<sup>2</sup>, LOI: 25,5%

