

---

PRODUCT-DETAILS

# 6319.0375.1

## JDDA 000 Earthing device



---

### General Information

Global Commercial Alias	6319.0375.1
Extended Product Type	JDDA 000
Product ID	2CGX063190375
EAN	7331980047277
Catalog Description	JDDA 000 Earthing device
Long Description	Earthing device for SLD 000

---

### Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0049

---

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Country of Origin	Sweden (SE)

## Popular Downloads

Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	No Instructions and Manuals needed

## Dimensions

Product Net Width	38 mm
Product Net Height	425 mm
Product Net Depth / Length	115 mm
Product Net Weight	2.2 kg

## Technical

Rated Insulation Voltage (U <sub>i</sub> )	690 V
Rated Peak Withstand Current Low Voltage (I <sub>pk</sub> )	10.9 kA
Rated Short-time Withstand Current Low Voltage (I <sub>cw</sub> )	for 1 s 6.1 kiloampere rms

## Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
REACH Declaration	2CGC0049

## Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	244 mm
Package Level 1 Depth / Length	194 mm
Package Level 1 Height	215 mm
Package Level 1 Gross Weight	2.2 kg
Package Level 1 EAN	7331980047277

## Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.1 : 27371392
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Sweden)	0732756

---

## Categories

---

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

