

PRODUCT-DETAILS

KSFS 10181

KSFS 10181 Phase busbar



Γενικές Πληροφορίες

Extended Product Type	KSFS 10181
Product ID	2CGD000788P2300
EAN	7331980053117
Catalog Description	KSFS 10181 Phase busbar
Long Description	Kabeldon phase busbar rated 1000 A. IP 2X protection against accidental contact. Suitable for use together with busbar support KSST which is purchased separately.

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0049
RoHS Information	2CGC0038

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85381000
Country of Origin	Sweden (SE)

Popular Downloads

Data Sheet, Technical Information	No documentation needed
Instructions and Manuals	No Instructions and Manuals needed

Dimensions

Product Net Width	2300 mm
Product Net Height	45 mm
Product Net Depth / Length	35 mm
Product Net Weight	4.391 kg

Technical

Rated Insulation Voltage (U _i)	1000 V
Rated Operational Voltage	690 V
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 40 kiloampere rms

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations

Declaration of Conformity - CE	2CGC0020
REACH Declaration	2CGC0049

Classifications

ETIM 7	EC001522 - Busbar
ETIM 8	EC001522 - Busbar
eClass	V11.1 : 27370303
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Κατηγορίες

Προϊόντα και Συστήματα Χαμηλής Τάσης → Πίνακες Διανομής Καλωδίωσης → Kabeldon Cable Distribution Cabinets → Cable Distribution Cabinets Accessories

