

Data Sheet | Item Number: 2002-541

End plate; for modular TOPJOB®S connector; 1.5 mm thick; gray

<https://www.wago.com/2002-541>



Color: ■ gray

Physical data

Width	1.5 mm / 0.059 inches
-------	-----------------------

Material data

Note (material data)

[Information on material specifications can be found here](#)

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.014 MJ
Weight	0.5 g

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918924863
Customs tariff number	85389099990

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Approvals / Certificates

Declarations of conformity and manufacturer's declarations			Approvals for marine applications		
Approval	Standard	Certificate Name	Approval	Standard	Certificate Name
Railway WAGO GmbH & Co. KG	-	Railway Ready	BV Bureau Veritas S.A.	EN 60947	38586/B0 BV
			DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
			LR Lloyds Register	EN 60947	91/20112 (E9)

Downloads

Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 2002-541	↓

Documentation


Additional Information		Bid Text	
Technical Section	pdf 2240.62 KB	2002-541	xml 2.56 KB
	↓	2002-541	doc 23.50 KB
			↓

CAD/CAE-Data

CAD data		CAE data	
2D/3D Models 2002-541	↓	WSCAD Universe 2002-541	↓
		ZUKEN Portal 2002-541	↓

Installation Notes

Installation



Snapping connectors and spacers together to assemble a multipole connector.