

AXOR Citterio

Thermostat for concealed installation with shut-off valve and lever handle


Finish: **Chrome** Article Number: **39700000**



product features

- 1 function
- thermostat cartridge, ceramic valves 90°
- maximum flow rate at 3 bar: 26 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Safety stop at 40 °C
- temperature limitation adjustable
- with silencer
- connection type: basic set


Technology



Product image



Scale drawing




AXOR Citterio

Thermostat for concealed installation with shut-off valve and lever handle

Finish: **Chrome** Article Number: **39700000**



Flowchart




AXOR Citterio
Thermostat for concealed installation with shut-off valve and lever handle
 Finish: **Chrome** Article Number: **39700000**



Exploded Drawing

Year of production: >06/23



AXOR Citterio
Thermostat for concealed installation with shut-off valve and lever handle
 Finish: **Chrome** Article Number: **39700000**



Spare part list

Year of production: >06/23

Pos.		Article Number	PC	PU
1	handle for thermostat	39994000	12	1
2	hollow set screw M5x10	97672000	1	1
3	pushbutton red	97212000	7	1
4	adapter for handle	96435000	6	1
5	handle	96520000	11	1
6	hollow set screw M4x8	97669000	1	1
7	adapter for handle	96451000	5	1
8	escutcheon	96751000	14	1
9	O-Ring 48x3	95508000	1	1
10	O-ring 29x3	98371000	2	1
11	sleeve	96439000	9	1
12	sleeve	96446000	8	1
13	holder for escutcheon	98793000	9	1
14	set of fixing screws	96454000	3	1
15	installation unit cpl.	92760000	18	1
16	thermostat cartridge	94282000	15	1
17	sealing set	95037000	10	1
18	shut off unit right closing	94009000	9	1
19	set of screws	96525000	3	1
20	O-ring 39x2	98158000	1	1
21	O-ring 16x2	98133000	1	1
22	noise reduction	94073000	7	1
23	set of non return valves DW 15	94074000	5	1
24	non return valve (pressure-resistant up to 2 MPa)	92594000	5	1
25	extension 25 mm	13595000	99	1
26	set of fixing screws	97747000	1	1
27	extension 22 mm	97407000	99	1
28	escutcheon height = 33 mm (when wall is not deep enough).	14970000	99	1
a	concealed item	01800180	99	1
b	concealed item	01500180	99	1
c	set of adapters	13588000	99	1