

## Range box - AI SORTI BOX RD - 3202960

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Range box, Color: red

### Why buy this product

- ✓ Color coding and the transparent cover facilitate fast access to the required ferrules
- ✓ The practical assortment boxes are designed to keep your workshop tidy
- ✓ Using the integrated euro-clip, they can be hung up on perforated board walls, for example, to save space

### Key commercial data

Packing unit	1 pc
GTIN	 4 017918 947132
Weight per Piece (excluding packing)	104.5 g
Custom tariff number	85369010
Country of origin	Germany

### Technical data

#### Ambient conditions

Short-term temperature	120 °C
Max. permanent temperature	105 °C

#### General

Color	red
Components	free from silicone and halogen
Inflammability class according to UL 94	HB
Material	E-CU

### Classifications

#### eCl@ss

eCl@ss 4.0	27060701
eCl@ss 4.1	27060701
eCl@ss 5.0	27400201

# Range box - AI SORTI BOX RD - 3202960

## Classifications

### eCl@ss

eCl@ss 5.1	27400201
eCl@ss 6.0	27400201
eCl@ss 7.0	27400201
eCl@ss 8.0	27400218

### ETIM

ETIM 2.0	EC000005
ETIM 3.0	EC000005
ETIM 4.0	EC000005
ETIM 5.0	EC000524

### UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	27121703
UNSPSC 11	27121703
UNSPSC 12.01	27121703
UNSPSC 13.2	27121703

## Approvals

### Approvals

---

Approvals

CSA / CSAus / EAC / cCSAus

---

Ex Approvals

---

Approvals submitted

---

### Approval details

CSA 
---

CSAus
-------

EAC
-----

## Range box - AI SORTI BOX RD - 3202960

### Approvals

cCSAus
--------

---